


Specifications

KROSSI



All measurements are in millimeters and inches

All intellectual property rights and copyrights are reserved. Nothing contained in this brochure may be reproduced without written permission. Schiavetto Group Pty Ltd reserves the right to change any or all details without prior notice. All dimensions stated within this document are nominal and/or approximate only and subject to variation. SCH/SSKRO22-C

SCHIAVETTO

Configurations

KROSSI

All measurements are in millimeters and inches

All intellectual property rights and copyrights are reserved. Nothing contained in this brochure may be reproduced without written permission. Schiavello Group Pty Ltd reserves the right to change any or all details without prior notice. All dimensions stated within this document are nominal and/or approximate only and subject to variation. SCH/SSKRO22-C

SCHIIVAVELL


Configurations

KROSSI

M T


Rectilinear T-leg

T-leg	Fixed 720mm / 28.3"
A-leg	Height adjustable 610–900mm / 24–35.4"
B-leg	Height adjustable 700–1050mm / 27.5–41.3"
Width	800–900mm / 31.5–35.4"
Length	1600–2600mm / 63–102.3"



Rectilinear column leg


T-leg	Fixed 720mm / 28.3"
A-leg	Height adjustable 610–900mm / 24–35.4"
B-leg	Height adjustable 700–1050mm / 27.5–41.3"
Width	1300mm / 51.1"
Length	2400–3000mm / 94.5–118.1"



Rectilinear bridged leg

T-leg	Fixed 720mm / 28.3"
A-leg	Height adjustable 610–900mm / 24–35.4"
B-leg	Height adjustable 700–1050mm / 27.5–41.3"

Width	1600mm / 63"
Length	4800–6000mm / 189–236.2"



All measurements are in millimeters and inches

All intellectual property rights and copyrights are reserved. Nothing contained in this brochure may be reproduced without written permission. Schiavello Group Pty Ltd reserves the right to change any or all details without prior notice. All dimensions stated within this document are nominal and/or approximate only and subject to variation. SCH/SSKRO22-C

SCHIAVELLO